


1	<p><b>Hydro Solo-S CR 3-10 HQQE</b> : 96471838</p> <p>Grundfos Hydro Solo-S, (CR),</p> <p>DIN DIN W.-Nr. 1.4301.</p> <p>DIN 24960.</p> <p>- 3- AC .</p> <p>: : : 0 .. 70 °C 20 °C : 1000 / 3 : 1 2/</p> <p>∴ : : 2864 / : 3.01 <sup>3/</sup> : 47 : HQQE</p> <p>: : EN-JL1030 ASTM A48-30 B : DIN W.-Nr. 1.4301 AISI 304 : : 40 °C</p> <p>: : 10 Rp 1 Rp 1 : FT100</p> <p>- : : - : 80A IE2 - P2: 0.75 : 50 Hz : 3 x 220-240 D/380-415 Y V 3,30/1,90 A Cos - : 0,81-0,71 : 2840-2870 / (IEC 34-5): 55 (Protect. water jets/dust) (IEC 85): F : : 120 : : 61 64 : : 0.42 3</p>	
---	---	--

--	--	--	--

# 96471838 Hydro Solo-S CR 3-10 50



		Hydro Solo-S CR 3-10 HQQE
		96471838
EAN	:	5700395003406
Control type:	:	MS
	:	0 .. 70 °C
	:	20 °C
	:	1000 / 3
	:	1 2/
	:	2864 /
	:	3.01 <sup>3</sup> /
	:	47
	:	10
	:	HQQE
	:	96516597
	:	96516597
	:	10
	:	EN-JL1030
	:	ASTM A48-30 B
	:	DIN W.-Nr. 1.4301
	:	AISI 304
	:	40 °C
	:	10
	:	Rp 1
	:	Rp 1
	:	FT100
	:	80A
	:	IE2
	- P2:	0.75
	:	50 Hz
	:	3 x 220-240 D/380-415 Y V
	:	3,30/1,90 A
Cos	-	0,81-0,71
	:	2840-2870 /
	(IEC 34-5):	55 (Protect. water jets/dust)
	(IEC 85):	F
	:	85805104
	:	120
	:	61
	:	64
	:	0.42 3

